

Dimplex Electric Hearth Solutions

Dimplex[®] | Electric Fireplaces



33"
FIREBOX



Marana Media Console

SAP-500-C | Cherry Finish
Also available in Black Finish
75⁹/₁₆" w x 32⁹/₁₆" h x 207⁷/₈" d

33"
FIREBOX



Atwood Media Console

SAP-033-BW | Burnished Walnut Finish
55" w x 34¹/₂" h x 21¹/₁₆" d

26"
FIREBOX



Bennett Media Console

SMP-155G-E-ST | Espresso Finish
65³/₄" w x 39³/₄" h x 20" d

26"
FIREBOX



Langley Media Console

SMP-160-E-ST | Espresso Finish
55" w x 36¹/₂" h x 21" d

26"
FIREBOX



Corry Media Console

DFP6854B | Black Finish
Featuring DF2690 firebox
46" w x 34" h x 18" d

25"
FIREBOX



Novara Media Console

SAP-300-B | Black Finish
64¹/₈" w x 24¹/₁₆" h x 16" d

25"
FIREBOX



Gibbons Media Console

SAP-350-B | Black Finish
55" w x 32¹/₄" h x 15⁵/₁₆" d

23"
FIREBOX



Logan Media Console

DFP4974BW | Burnished Walnut Finish
61¹³/₁₆" w x 35¹/₈" h x 20" d

20"
FIREBOX



Cornet Media Console

DFP905B | Black Finish
60¹/₂" w x 26³/₄" h x 18³/₄" d

20"
FIREBOX



Copeland Media Console

DFP5001B | Black Finish
64¹⁵/₁₆" w x 36¹/₄" h x 23⁷/₈" d

32"
FIREBOX



Dante
SEP-ANW-327-FB | Antique Walnut Finish
54¹¹/₁₆" w x 49³/₁₆" h x 19³/₈" d

32"
FIREBOX



Vienna
SEP-BW-460-FB | Burnished Walnut Finish
60³/₈" w x 47³/₈" h x 22¹/₄" d

32"
FIREBOX



Neo Classic
SEP-PE-4203 | Pecan Finish
60³/₄" w x 48³/₈" h x 20¹/₄" d

purifire®

Air Treatment System

- Filters mold spores, pollen, dander and dust from indoor air
- Uses a standard, high-efficiency, washable filter
- Filters the air of a 12' x 14' room four times per hour

Featured on all 30" and 32" Dimplex electric fireplaces.

32"
FIREBOX



Torchiere
SEP-BW-4217-FB | Burnished Walnut Finish
63⁵/₈" w x 49¹/₈" h x 21" d

32"
FIREBOX



Draped Alabaster
SEP-AL-4201-FB | Alabaster Finish
62¹/₄" w x 48¹/₂" h x 21" d

32"
FIREBOX



Hampton
SEP-O-4500-FB | Dark Oak Finish
62¹/₄" w x 52" h x 25¹/₁₆" d

32"
FIREBOX



Newport
SEP-BW-600-BG-FB | Burnished Walnut Finish
Shown with black granite-look surround
60³/₈" w x 53³/₁₆" h x 18³/₈" d

32"
FIREBOX



Newport
SEP-BW-600-CM-FB | Burnished Walnut Finish
Shown with cream marble-look surround
60³/₈" w x 53³/₁₆" h x 18³/₈" d

30"
FIREBOX



Carlyle
SOP-475-BW | Burnished Walnut Finish
Also available in White Finish
62⁵/₁₆" w x 49⁷/₁₆" h x 17¹/₈" d

30"
FIREBOX



Stratford
SOP-261-O | Distressed Medium Oak
54³/₄" w x 43" h x 18" d

30"
FIREBOX



Sussex
SOP-272-WA | Walnut Finish
Also available in Cherry, Rich Oak & White Finishes
54⁷/₈" w x 48¹/₁₆" h x 18¹/₁₆" d

30"
FIREBOX



Hartford
SOP-330-C | Aged Cherry Finish
55³/₄" w x 45¹/₈" h x 16⁵/₈" d

30"
FIREBOX



Notting Hill
SOP-380-C | Cherry Finish
Also available in Rich Oak Finish
56¹/₈" w x 49³/₄" h x 22" d

30"
FIREBOX



Chilton
SOP-295-E | Espresso Finish
54" w x 45¹/₂" h x 23¹/₄" d

30"
FIREBOX



Coventry
SOP-235-W | White Finish
60³/₄" w x 48³/₄" h x 18¹/₄" d

30"
FIREBOX



Crofton
EMP-307-O | Dark Oak Finish
57¹/₈" w x 51" h x 19³/₄" d

30"
FIREBOX



Laguna
SOP-285-B | Black Finish
Also available in White Finish
57¹/₄" w x 46¹/₈" h x 19¹/₂" d

26"
FIREBOX



Preston
DFP6787C | Cherry Finish
Featuring DF2603 firebox
Also available in Oak Finish
55" w x 46" h x 21 1/4" d

26"
FIREBOX



Devon
SMP-BK170-N-ST | Nutmeg Finish
60" w x 45 3/4" h x 19 3/16" d

26"
FIREBOX



Archer
SMP-175-PE-ST | Pecan Finish
50 3/4" w x 45" h x 20 1/8" d

26"
FIREBOX



Cambridge
CAMBRIDGE-ESP | Espresso Finish
48 3/8" w x 50" h x 18 5/16" d

26"
FIREBOX



Henley
SMP-150-BW-ST | Burnished Walnut Finish
54 1/2" w x 43 1/4" h x 16 3/4" d

26"
FIREBOX



Kenton
SMP-130-O-ST | Oak Finish
Also available in White & Espresso Finishes
49 3/8" w x 43 3/8" h x 17 7/8" d

26"
FIREBOX



Bianca
SMP-125-W-ST | White Finish
Also available in Black Finish
43" w x 42 1/8" h x 19" d

23"
FIREBOX



Holbrook
DFP4765BW | Burnished Walnut Finish
44" w x 43" h x 16 1/2" d

23"
FIREBOX



Caprice
DFP47430 | Warm Oak Finish
Also available in Cherry & White Finishes
48 1/4" w x 42" h x 17" d

23"
FIREBOX



Brockton
BROCKTON-BW | Burnished Walnut Finish
47" w x 41³/₈" h x 19¹/₂" d

23"
FIREBOX



Canterbury
EMP-237-WM | Marble-look Finish
47¹¹/₁₆" w x 48¹¹/₁₆" h x 22¹³/₁₆" d

20"
FIREBOX



Rome
DFP7823EB | Espresso Bronze Finish
43¹/₂" w x 39¹/₂" h x 15" d

20"
FIREBOX



Breton
CFP3970N | Nutmeg Finish
44" w x 43³/₁₆" h x 16⁵/₈" d

20"
FIREBOX



Troy
CFP3950O | Warm Oak Finish
Also available in Burnished Walnut Finish
40¹/₁₆" w x 39¹/₄" h x 13⁷/₈" d

20"
FIREBOX



Tessa
CFP3685A | Amaretto Finish
Also available in Warm Oak Finish
36³/₄" w x 36" h x 11³/₄" d

18"
FIREBOX



Mozart
CFP3811GB | Gloss Black Finish
36¹/₄" w x 33⁷/₈" h x 14¹/₂" d

20"
FIREBOX



West Highland
CFP3652C | Cherry Finish
40" w x 40" h x 13⁷/₁₆" d

18"
FIREBOX



Bravado
CFP3913E | Espresso Finish
Also available in Nutmeg Finish
34" w x 36¹¹/₁₆" h x 10¹³/₁₆" d

30"
CORNER



Stratford Corner
SOP-261C-O | Distressed Medium Oak Finish
54¹³/₁₆" w x 43⁵/₁₆" h x 32¹/₂" d

26"
CORNER



Oxford Corner
SMP-195C-C-ST | Cherry Finish
Also available in Oak & White Finish
51³/₈" w x 42¹¹/₁₆" h x 30" d

20"
CORNER



Branson Corner
DFP3696O | Warm Oak Finish
39¹/₂" w x 40¹/₂" h x 24¹/₂" d

20"
CORNER
CONVERTIBLE



Warren
CPF3902BW | Burnished Walnut Finish
Converts for use in a corner or on a flat wall.
Also available in White Finish
36³/₄" w x 36³/₁₆" h x 12¹/₂" d

18"
CORNER



Chelsea Corner
DCF7850W | White Finish
Also available in Espresso Finish
29¹/₂" w x 46¹/₈" h x 18¹/₂" d



Enjoy all the ambiance of a fireplace using a fraction of the energy!

Electric fireplaces use over **90% less energy** than gas to produce visual flames – with **zero** emissions.

- Maintain a safe, healthy environment for anyone concerned about indoor air quality.
- Reduce impact on the environment – no burning of fossil fuels, eliminating the emission of carbon dioxide and other greenhouse gases.
- Conserve energy by zone heating – provides supplemental heat for up to 400 square feet.



Sahara Wall-mount
EWF-SS | Dark Gray Finish with aluminum trim
39¹/₂" w x 27⁵/₈" h x 6⁷/₈" d



Baldwin Cordless Electric Flame Mirror
TFA36E | Espresso Finish
36" w x 22¹/₄" h x 6³/₄" d



The world's first cordless electric flame!



Celeste Stove
TDS5815TB | Black Finish
Also available in Cream Finish
29⁵/₈" w x 27" h x 17⁵/₁₆" d



Traditional Stove
DS5603 | Black Finish
23³/₄" w x 25⁵/₈" h x 17¹/₄" d



Compact Stove
CS3311 | Black Finish
20" w x 23¹/₈" h x 11⁵/₁₆" d



Deluxe Stove
DS7420 | Black Finish
26¹⁵/₁₆" w x 27" h x 15¹⁵/₁₆" d



Space-saving Stove
CS1205 | Black Finish
17³/₈" w x 21⁵/₈" h x 12" d

Dimplex electric fireboxes – ambiance meets innovation



Features	18"	20"	23"	25"	26"	30"	32"	33"
Patented, lifelike flame effect	•	•	•	•	•	•	•	•
Hand-finished logs and pulsating embers	•	•	•	•				
Hand-finished inner glow logs and pulsating embers					•	•	•	•
Flame operates with and without heat	•	•	•	•	•	•	•	•
Rated firebox wattage	1,500W	1,500W	1,375W	880W	1,440W	1,500W	1,500W	1,000W
Integral black surround trim		•						
Self-trimming design	•		•	•	•	•	•	•
On/off remote control	•	•	•	•	•			
Multi-function remote control						•		•
Deluxe multi-function remote control							•	
Authentic brick-look interior					•	•	•	
Adjustable flame speed and interior light controls					•	•	•	•
Purifire® Air Treatment System						•	•	
Slow start / Fading embers							•	
Natural firelight flicker effect							•	
Intelligent heat – quietly self adjusts fan speed							•	
Bi-fold doors and mesh screen							•	
Warranty	1-year	1-year	1-year	1-year	2-year	5-year	10-year	5-year

Your authorized Dimplex dealer:

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents: U.S. Patents: 6,050,011, 6,269,567, 6,190,019, 6,564,485, 5,642,580, 6,615,519, 6,363,636, 6,047,489, 6,718,665, 6,350,498, 6,162,047, 6,385,881, 7,134,229, D514,677, 7,162,820, 7,194,830, 7,457,533, 7,373,743. Canadian Patents: 2,175,442, 2,310,367, 2,310,073, 2,204,106, 2,310,362, 2,310,414, 2,262,338, 2,321,716, 2,299,927, 1,051,75, 2,357,182, 2,379,252. Other patents pending. © 2009 Dimplex North America Limited.

Dimplex North America Limited
 1367 Industrial Road
 Cambridge | ON N1R 7G8
 Telephone: 1-888-DIMPLEX (346-7539)
 Fax: 1-800-668-6665 | www.dimplex.com



Dimplex® The world leader
 in electric fireplaces.

Dimplex Plug-in Electric Fireboxes



DF2550 | 25" Electric Firebox
26" w x 18 7/8" h x 9" d



DF2608 | 26" Electric Firebox
27 3/8" w x 23 1/2" h x 8 13/16" d

- Patented lifelike flame effect
- Hand finished, inner-glow* logs and pulsating embers
- Flame operates with or without heat
- Self-trimming design complements any décor
- Thermostat-controlled fan-forced heater
- Industry-leading warranties

*Not included on 25" Firebox



DF3033ST
33" Landscape Electric Firebox
33 1/8" w x 23 7/16" h x 9 1/2" d



DF3015 | 30" Electric Firebox
31 7/16" w x 26 3/8" h x 10 9/16" d



DF3215
32" Multi-Fire® Electric Firebox
36 1/2" w x 31 11/16" h x 13 1/8" d

purifire
Air Treatment System

An exclusive Dimplex innovation that provides continuous filtration of mold spores, pollen, dander and dust using a high-efficiency, washable filter.

Featured on all 30" and 32" Dimplex electric fireplaces.

Wall-mount Electric Fireplaces

These elegant, space-saving designs add warmth and elegance to almost any room. With a variety of installation options and styles to choose from, one is just right for you.



Convex Wall-mount Fireplace
VCX1525 | Sleek, convex design.
Black glass finish with pebble flame bed.
22 3/4" w x 34 1/2" h x 9" d




V1525BT-GM
Beveled trim profile, in gun metal grey. Also available in black (V1525BT-BLK).



Sahara Wall-mount Fireplace
EWF-SS | Dark Gray finish with brushed aluminum trim.
39 1/2" w x 27 5/8" h x 6 7/8" d



V1525RT-BLK
Rectangular trim profile, in black. Also available in gun metal grey (V1525RT-GM).



Baldwin Cordless Electric Flame Mirror
TFA36E | Espresso finish with stone flame bed.
12V rechargeable. (No heater included.)
36" w x 22 1/4" h x 6 3/4" d

Built-in Electric Fireplaces

Wall Mantels

Fireplace Inserts



BF33DXP | 33" Built-in Electric Fireplace
32³/₄" w x 28⁷/₈" h x 14³/₈" d
Shown with swing door kit and
3-piece black decorative trim.

BF39DXP | 39" Built-in Electric Fireplace
38³/₄" w x 32⁷/₈" h x 15³/₈" d
Shown with glass bi-fold look door kit and
4-piece stainless steel decorative trim

BC3336W | Traditional white mantel
for 33" built-in fireplace.
White finish.
Also available in a space-saving
corner design (BCC3336W5).

Standard Fireplace Insert
DFI2309 | Features realistic flame
effect, log set and ember bed.
23³/₁₆" w x 19⁵/₈" h x 10¹³/₁₆" d



BF45DXP | 45" Built-in Electric Fireplace
44³/₄" w x 32³/₄" h x 15¹/₄" d
Shown with glass bi-fold look door kit
and 3-piece black decorative trim.

BF392SD | 39" Built-in Electric Fireplace
39" w x 32¹³/₁₆" h x 22¹/₈" d
Shown with glass bi-fold look door kit
and 3-piece black decorative trim



BC39W2 | Traditional white mantel
for 39" built-in fireplace.
White finish.

Deluxe Fireplace Insert
DFI2310 | Features inner glow logs
molded from real wood and pulsating embers.
23³/₁₆" w x 19⁵/₈" h x 10¹³/₁₆" d

- Patented lifelike flame effect
- Hand finished, inner-glow logs and pulsating embers
- Operates with flame only, flame/Purifire and flame/Purifire/heat
- Easily accessible manual controls (heater on/off and flame on/off)

Featuring
purifire[®]
Air Treatment System

Flush-mount Mantels

In just minutes, add the finishing touch to a built-in fireplace with an elegant flush-mount mantel and surround. Available in MDF pre-primed or stone-look for 33" and 39" built-in fireplaces.



BM39-BG | MDF pre-primed mantel
with black granite-look inlay.

BM39-CM | MDF pre-primed mantel
with cream marble-look inlay.

BM33-STN | Stone-look mantel
with matching surround.

BS39-STN | Picture frame stone-look
surround. Also available in 33" size.



ETP-23-CST | DFI2310 fireplace insert
with antiqued cast trim.
Trim dimensions: 26" w x 32³/₈" h x 17" d
Insert dimensions: 23³/₁₆" w x 19⁵/₈" h x 10¹³/₁₆" d

Built-in Electric Fireplace Specifications - Purifire®

		Volts	Watts	BTU	Total Amps	Weight (lb/kg)
BF33DXP	33" firebox with Purifire®, with pulsating inner glow logs and brick-look interior. Operates with flame only, flame/Purifire®, and flame/Purifire®/full heat.* Built-in manual switches. NOTE: Remote control and thermostat sold separately.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	80 / 36.7
BF39DXP	39" firebox with Purifire®, with pulsating inner glow logs and brick-look interior. Operates with flame only, flame/Purifire®, and flame/Purifire®/full heat.* Built-in manual switches. NOTE: Remote control and thermostat sold separately.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	87 / 39.5
BF45DXP	45" firebox with Purifire®, with pulsating inner glow logs and brick-look interior. Operates with flame only, flame/Purifire®, and flame/Purifire®/full heat.* Built-in manual switches. NOTE: Remote control and thermostat sold separately.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	110 / 49.9

*Units may also be wired with separate wall switches (not included) for independent flame, and optional wall thermostat to control heater.

2-Sided Built-in Electric Fireplace Specifications

		Volts	Watts	BTU	Total Amps	Weight (lb/kg)
BF392SD	2-sided 39" firebox. 1500W @ 120V ONLY. 3-stage remote control included (flame only, half-heat, full-heat). Built-in manual override.	120	1440	5000	12.0	119 / 54

Electric Firebox Specifications

	25" DF2550	26" DF2608	30" DF3015	32" DF3215	33" DF3033ST
Patented, lifelike flame effect	●	●	●	●	●
Hand-finished logs and pulsating embers	●				
Hand-finished inner glow logs and pulsating embers		●	●	●	●
Flame operates with and without heat	●	●	●	●	●
Rated firebox wattage	880W	1,440W	1,500W	1,500W	1,000W
On/off remote control	●	●			
Multi-function remote control					●
Deluxe multi-function remote control				●	
Authentic brick-look interior		●	●	●	
Adjustable flame speed and interior light controls		●	●	●	●
Purifire Air Treatment System			●	●	
Slow start / Fading embers				●	
Natural firelight flicker effect				●	
Intelligent heat – quietly self adjusts fan speed				●	
Bi-fold doors and mesh screen				●	
Weight	40 lb / 18.2 kg	48 lb / 21.8 kg	67 lb / 30.5 kg	99 lb / 45 kg	60.4 lb / 27.5 kg
Warranty	2-year	2-year	5-year	10-year	5-year

Electric Fireplace Insert Specifications

		Volts	Watts	BTU	Total Amps	Weight (lb/kg)
DFI2309	23" standard fireplace insert with front mount switches (flame only, half-heat, full-heat).	120	1340	4574	11.16	33 / 15
DFI2310	23" deluxe fireplace insert (as above), except with pulsating inner glow logs.	120	1340	4574	11.16	35.5 / 16.1
ETP-23-CST	23" deluxe fireplace insert kit (as above), including antiqued cast trim.	120	1340	4574	11.16	64.5 / 29.3

Wall-mount Electric Fireplace Specifications

		Dimensions (WxHxD)	Volts	Watts	BTU	Total Amps	Weight (lb/kg)
EMF-SS	Dark gray finish with brushed aluminum trim.	39 1/2" x 27 5/8" x 6 7/8"	120	1400	4779	11.6	68 / 30.8
TFA36E	Espresso finish with stone flame bed.	36" x 22 1/4" x 6 3/4"	12 DC	3.5	N/A	3A	67 / 30.5
VXC1525	Convex profile, black.	22 3/4" x 34 1/2" x 9"	120	1355	4625	11.2	74 / 33.5
V1525BT-BLK	Beveled trim profile, black.	24" x 34 1/2" x 7 1/2"	120	1300	4437	10.8	47 / 21
V1525BT-GM	Beveled trim profile, gun metal grey.	24" x 34 1/2" x 7 1/2"	120	1300	4437	10.8	47 / 21
V1525RT-BLK	Rectangular trim profile, black.	23 1/2" x 35" x 8"	120	1300	4437	10.8	51 / 23
V1525RT-GM	Rectangular trim profile, gun metal grey.	23 1/2" x 35" x 8"	120	1300	4437	10.8	51 / 23

Built-in Electric Fireplace Decorative Trims and Door Kits

Model	Description	Weight (lb/kg)
4-Piece Decorative Trim Kits (use as 3-piece without bottom panel)		
BF4TRIM33	33" black - 35 7/8" W x 29 5/8" H x 7/16" D	5 / 2.3
BF4TRIM39	39" black - 42 1/4" W x 33 11/16" H x 7/16" D	6 / 2.7
BF4TRIM45	45" black - 48 1/4" W x 33 11/16" H x 7/16" D	7 / 3.2
BF4TRIM33SS	33" stainless steel - 35 7/8" W x 29 5/8" H x 7/16" D	5 / 2.3
BF4TRIM39SS	39" stainless steel - 42 1/4" W x 33 11/16" H x 7/16" D	6 / 2.7
BF4TRIM45SS	45" stainless steel - 48 1/4" W x 33 11/16" H x 7/16" D	7 / 3.2
Glass Door Kits		
BFD00R33BLKSM	33" single pane, bi-fold look glass door	13 / 5.9
BFD00R39BLKSM	39" single pane, bi-fold look glass door	18 / 8.1
BFD00R45BLKSM	45" single pane, bi-fold look glass door	21 / 9.5
BFGLOSS33BLK	33" single pane, tamperproof glass door	18 / 8.2
BFGLOSS39BLK	39" single pane, tamperproof glass door	22 / 10
BFGLOSS45BLK	45" single pane, tamperproof glass door	29 / 13.2
Swing Door Kits		
BFSD00R33BLK	33" glass swing doors with black accents	17 / 7.7
BFSD00R39BLK	39" glass swing doors with black accents	21 / 9.5



Built-in Electric Fireplace Flush-mount Mantel Specifications

Model	Description	Dimensions (W x H x D)	Weight (lb/kg)
33" Flush-mount Mantels			
BM33-CM	Pre-primed with cream marble-look inlay	62 1/2" x 50 1/4" x 7 3/8"	80 / 36
BM33-BG	Pre-primed with black granite-look inlay	62 1/2" x 50 1/4" x 7 3/8"	80 / 36
BM33-STN	Stone-look mantel	60 3/4" x 49 3/8" x 9 3/4"	118 / 53.6
39" Flush-mount Mantels			
BM39-CM	Pre-primed with cream marble-look inlay	68 1/2" x 54 1/2" x 7 3/8"	90 / 40.5
BM39-BG	Pre-primed with black granite-look inlay	68 1/2" x 54 1/2" x 7 3/8"	90 / 40.5
BM39-STN	Stone-look mantel	66 3/4" x 55 5/8" x 9 3/4"	128 / 58.2
Stone-look Picture Frame Surround			
BS33-STN	One-piece stone-look surround	40 5/8" x 32" x 3"	50 / 22.7
BS39-STN	One-piece stone-look surround	45 7/8" x 36 7/8" x 3"	55 / 25

Built-in Electric Fireplace Wall Mantel Specifications

Model	Description	Dimensions (W x H x D)	Weight (lb/kg)
BC3336W2	33" flat wall, white finish	57 1/2" x 43 1/2" x 20"	130 / 58.5
BCC3336W5	33" corner, white finish	58" x 43 1/2" x 30 1/2"	120 / 54
BC39W2	39" flat wall, white finish	62 3/4" x 47 3/8" x 21 1/8"	146 / 65.7

Your authorized Dimplex dealer:

Dimplex® The world leader in electric fireplaces.

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents: U.S. Patents: 6,050,011, 6,269,567, 6,190,019, 6,564,485, 5,642,580, 6,615,519, 6,363,636, 6,047,489, 6,718,665, 6,350,498, 6,162,047, 6,385,881, 7,134,229, D514,677, 7,162,820, 7,194,830, 7,457,533, 7,373,743. Canadian Patents: 2,175,442, 2,310,367, 2,310,073, 2,204,106, 2,310,362, 2,310,414, 2,262,338, 2,321,716, 2,299,927, 105175, 2,357,182, 2,379,252. Other patents pending. © 2009 Dimplex North America Limited.

